

Product information

Digital micrometer Micromar 40 EWRI-K

Product features

- **Measuring surfaces: Anvil with narrow web, pointed spindle**
- High contrast digit display
- Stainless spindle is hardened throughout and ground
- Spindle and anvil are carbide-tipped
- Rapid drive
- Ratchet is integrated in the thimble
- Lacquered steel frame, heat insulated



Functions

RESET (set display to zero),
ABS (display can be set to zero
without losing reference to
ORIGIN), mm/inch, ORIGIN (for
entering a numerical value),
LOCK function (key lock),
TOL (Tolerance and Warning
Limits Input), HOLD (storage of
measured values), DATA (data
transmission), Bi-directional data
interface (external output and
input option of characteristic
values as well as setting of
individual lock functions by
software MarCom)

Item no.: **4157140**

Technical data

Battery type	CR 2032 (3V Lithium)
Measuring range mm	0 - 20 mm
Measuring range inch	0 - 0.8"
Material Contact surface	carbide
Resolution mm/inch	0.001 / .00005"
Error limit µm	4
Spindle diameter	6.5
Spindle thread pitch_mm	0.5
Measuring force (N)	5 - 10

Package contains

battery, test certificate,
instruction manual, case

Application

For measuring crimp heights

Data interface


Integrated Wireless

Energy supply

Battery life approx. 2 years

Dimensions

Dimensions b in mm	9.5
Dimensions a in mm	23
Dimensions c in mm	31.5



Accessories

Order no.	Designation	Product type
4102220	Wireless receiver for measuring instruments with integrated wireless	i-Stick